-continued

Gly Ser	Phe Phe	Leu Tyr 405	Ser i	Arg I		Thr 410	Val	Asp	Lys	Ser	Arg 415	Trp
Gln Glu	Gly Asn 420	Val Phe	Ser (Ser 425	Val	Met	His	Glu	Ala 430	Leu	His
Asn His	Tyr Thr 435	Gln Lys		Leu :	Ser	Leu	Ser	Leu	Gly 445	Lys		

- 1. An antigen-binding molecule, optionally isolated, which is capable of binding to VISTA and inhibiting VISTA-mediated signalling, independently of Fc-mediated function.
- 2. The antigen-binding molecule according to claim 1, wherein the antigen-binding molecule comprises:
 - (i) a heavy chain variable (VH) region incorporating the following CDRs:
 - HC-CDR1 having the amino acid sequence of SEQ ID NO:305
 - HC-CDR2 having the amino acid sequence of SEQ ID NO:306
 - HC-CDR3 having the amino acid sequence of SEQ ID NO:307; and
 - (ii) a light chain variable (VL) region incorporating the following CDRs:
 - LC-CDR1 having the amino acid sequence of SEQ ID NO:41
 - LC-CDR2 having the amino acid sequence of SEQ ID NO:308
 - LC-CDR3 having the amino acid sequence of SEQ ID NO:43.
- 3. The antigen-binding molecule according to claim 1 or claim 2, wherein the antigen-binding molecule comprises:
 - (i) a heavy chain variable (VH) region incorporating the following CDRs:
 - HC-CDR1 having the amino acid sequence of SEQ ID NO:290
 - HC-CDR2 having the amino acid sequence of SEQ ID NO:291
 - HC-CDR3 having the amino acid sequence of SEQ ID NO:278; and
 - (ii) a light chain variable (VL) region incorporating the following CDRs:
 - LC-CDR1 having the amino acid sequence of SEQ ID NO:41
 - LC-CDR2 having the amino acid sequence of SEQ ID NO:309
 - LC-CDR3 having the amino acid sequence of SEQ ID NO:43.
- **4**. The antigen-binding molecule according to any one of claims **1** to **3**, wherein the antigen-binding molecule comprises:
 - (i) a heavy chain variable (VH) region incorporating the following CDRs:
 - HC-CDR1 having the amino acid sequence of SEQ ID NO: $290\,$
 - HC-CDR2 having the amino acid sequence of SEQ ID NO:291
 - HC-CDR3 having the amino acid sequence of SEQ ID NO:278; and

- (ii) a light chain variable (VL) region incorporating the following CDRs:
 - LC-CDR1 having the amino acid sequence of SEQ ID NO:41
 - LC-CDR2 having the amino acid sequence of SEQ ID NO:295
 - LC-CDR3 having the amino acid sequence of SEQ ID NO:43.
- 5. The antigen-binding molecule according to any one of claims 1 to 3, wherein the antigen-binding molecule comprises:
 - (i) a heavy chain variable (VH) region incorporating the following CDRs:
 - HC-CDR1 having the amino acid sequence of SEQ ID NO:290
 - HC-CDR2 having the amino acid sequence of SEQ ID NO:291
 - HC-CDR3 having the amino acid sequence of SEQ ID NO:278; and
 - (ii) a light chain variable (VL) region incorporating the following CDRs:
 - LC-CDR1 having the amino acid sequence of SEQ ID
 - LC-CDR2 having the amino acid sequence of SEQ ID
 - LC-CDR3 having the amino acid sequence of SEQ ID
- **6**. The antigen-binding molecule according to any one of claims **1** to **5**, wherein the antigen-binding molecule comprises:
 - a VH region comprising an amino acid sequence having at least 70% sequence identity to the amino acid sequence of SEQ ID NO:289; and
 - a VL region comprising an amino acid sequence having at least 70% sequence identity to the amino acid sequence of SEQ ID NO:310.
- 7. The antigen-binding molecule according to any one of claims 1 to 6, wherein the antigen-binding molecule comprises:
 - a VH region comprising an amino acid sequence having at least 70% sequence identity to the amino acid sequence of SEQ ID NO:289; and
 - a VL region comprising an amino acid sequence having at least 70% sequence identity to the amino acid sequence of SEQ ID NO:294.
- **8**. The antigen-binding molecule according to any one of claims **1** to **6**, wherein the antigen-binding molecule comprises:
 - a VH region comprising an amino acid sequence having at least 70% sequence identity to the amino acid sequence of SEQ ID NO:289; and